

Pl #2 Sept 1967

FILED
CLERK OF COURTS
CAMBRIA CO. PA.

AUG 28 10 40 AM '67

STEPHEN D. OBLACKOVICH
CLERK OF COURTS

Re: Resurveying, Opening
And Laying Out of
Kensaw Lane,
Upper Merder Township

Ordinance # 98

MARGOLIS & COPPERSMITH
ATTORNEYS-AT-LAW
FIRST NATIONAL BANK BUILDING
JOHNSTOWN, PENNSYLVANIA 15901

Ordinance

#99

**AN ORDINANCE FOR THE ACCEPTING, OPENING
AND LAYING OUT OF KENESAW LANE**

BE IT ORDAINED, and it is hereby ordained that the Township of Upper Yoder, Cambria County, Pennsylvania, hereby accepts, opens and lays out as a public road in said Township Kenesaw Lane, being 33 feet in width, the centerline of said Kenesaw Lane being more particularly described as follows:

BEGINNING at the intersection of the centerline of Meadow Drive and the centerline of Kenesaw Lane at Station 0+0, thence by the centerline of said Kenesaw Lane South $76^{\circ} 45'$ West 528.5 feet to Station 5+28.5, thence continuing by the centerline of said Kenesaw Lane South $84^{\circ} 45'$ West a distance of 521.5 feet to Station 10+50, the place of beginning.

A plan and profile showing said Kenesaw Lane as prepared by T. L. Locher, R.P.E., on April 26, 1967, and approved by the Upper Yoder Township Supervisors on May 3, 1967, is attached hereto and made a part of this ordinance.

The centerline grade of said Kenesaw Lane is further established as follows:

BEGINNING at the edge of the blacktop on Meadow Drive at Station 0+16 at an elevation of 99.75, thence ascending at the rate of 2.10 feet per 100 feet a distance of 84.0 feet to Station 1+0 at an elevation of 101.51, thence ascending at the rate of 3.35 feet per 100 feet a distance of 100 feet to Station 2+0 at an elevation of 104.86, thence ascending at the rate of 7.15 feet per 100 feet a distance of 200 feet to Station 4+0 at an elevation of 119.16, thence by a vertical curve a distance of 100 feet to Station 5+0 at an elevation of 124.90, thence ascending at the rate of 2.025 feet per 100 feet a distance of 400 feet to Station 9+0 at an elevation of 133.00, thence by a vertical curve a distance of 150 feet to Station 10+50 at an elevation of 131.00, the place of beginning.

The said centerline grade also being shown on the plan and profile prepared by T. L. Locher above referred to.

ORDAINED AND ENACTED THIS 24th day of August, 1967

SUPERVISORS OF THE TOWNSHIP OF
UPPER YODER

By Robert H. Hunt
President

ATTEST:

Edward F. DeFruh
Secretary

CERTIFICATION

I hereby certify that the foregoing is a true and correct copy of the Ordinance adopted by the Supervisors of the Township of Upper Yoder, Cambria County, on the

Edward F. DeFruh
Secretary, Supervisors of
Upper Yoder Township

